

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1	("5774660").PN.	USPAT; USOCR	OR	OFF	2006/03/13 11:42
S3	1	("20020103663").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/13 11:42
S4	4	"709"/\$.ccls. and (recover\$3 and failover\$3).ab. and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 13:48
S5	132	"709"/\$.ccls. and (recover\$3 and failover\$3) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 13:49
S6	25	"709"/\$.ccls. and ( failover\$3).ab. and recover\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 13:57
S7	31	"709"/\$.ccls. and ( failover\$3) same recover\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 14:09
S8	31	"709"/\$.ccls. and ( failover\$3) same recover\$3 and fail\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:16
S9	2	"709"/\$.ccls. and ( failover\$3) same recover\$3 with policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:18
S10	0	"709"/\$.ccls. and ( failover\$3).ti. and recover\$3 with policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:18

## EAST Search History

S11	2	"709"/\$.ccls. and ( failover\$3).ab. and recover\$3 with policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:29
S12	0	"709"/\$.ccls. and ( failover\$3 with proxy) and recover\$3 with policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:30
S13	2	"709"/\$.ccls. and ( failover\$3 with proxy) and recover\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:51
S14	0	"709"/\$.ccls. and ( loadbalanc\$3 near1 server) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:52
S15	7551	"709"/\$.ccls. and ( load balanc\$3 near1 server) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:52
S16	209	"709"/\$.ccls. and ( load near1 balanc\$3 near1 server) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:52
S17	1	"709"/\$.ccls. and ( load near1 balanc\$3 near1 server) with polic\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:03
S18	2	( load near1 balanc\$3 near1 server) with polic\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:03

## EAST Search History

S19	373	( load near1 balanc\$3 near1 server) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:03
S20	8	( load near1 balanc\$3 near1 server) same polic\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:04
S21	10	( load near1 balanc\$3 near1 server) same polic\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:04
S22	5	"709"/\$.ccls. and ( load near1 balanc\$3 near1 server) same polic\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:43
S23	39	"709"/\$.ccls. and ( load near1 balanc\$3 with server) same polic\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:43
S24	222	"709"/\$.ccls. and ( load near1 balanc\$3 with server) and polic\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:43
S25	28	"709"/\$.ccls. and ( load near1 balanc\$3 with server) with polic\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 16:59
S26	0	"709"/\$.ccls. and ( re-direct\$3 with table) with polic\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:00

## EAST Search History

S27	0	"709"/\$.ccls. and ( re near1 direct\$3 with table) with polic\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:00
S28	0	"709"/\$.ccls. and ( re near1 direct\$3 with table) same load with balancing and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:01
S29	9	"709"/\$.ccls. and ( direct\$3 with table) same load with balancing and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:01
S30	9	"709"/\$.ccls. and ( direct\$3 with table) same load with balancing and fail\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:02
S31	0	"709"/\$.ccls. and ( direct\$3 with table) same load with balancing and fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:02
S32	0	"709"/\$.ccls. and ( direct\$3 with table) and load with balancing and fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:02
S33	0	"709"/\$.ccls. and ( direct\$3 with table) and fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:02
S34	164	"709"/\$.ccls. and ( direct\$3 with table) and fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:02

## EAST Search History

S35	66	"709"/\$.ccls. and ( direct\$3 with table) and fail\$3 with detect\$3 and load with balanc\$4 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:03
S36	1	"709"/\$.ccls. and ( direct\$3 with table) with recover\$3 and fail\$3 with detect\$3 and load with balanc\$4 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:05
S37	81	"709"/\$.ccls. and recover\$3 same fail\$3 with detect\$3 and load with balanc\$4 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:57
S38	35	"709"/\$.ccls. and recover\$3 same fail\$3 with detect\$3 and load with balanc\$4 and policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:58
S39	0	"709"/\$.ccls. and recover\$3 same fail\$3 with detect\$3 and load with balanc\$4 and recover near2 policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:58
S40	0	"709"/\$.ccls. and recover\$3 same fail\$3 and detect\$3 and load with balanc\$4 and recover near2 policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:58
S41	0	"709"/\$.ccls. and fail\$3 and detect\$3 and load with balanc\$4 and recover near2 policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 17:59
S42	15	"709"/\$.ccls. and fail\$3 and detect\$3 and load with balanc\$4 and recover\$3 near2 policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:02

## EAST Search History

S43	13	"709"/\$.ccls. and fail near1 over\$4 and recover\$3 near2 policy and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:17
S44	1	"709"/\$.ccls. and fail near1 over\$4 and recover\$3 near2 directions and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:38
S45	1	("20040230660").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/13 18:42
S46	0	messages near1 type41 with parameter\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:43
S47	0	messages with type41 with parameter\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:43
S48	1372	messages with type\$1 with parameter\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:43
S49	80	messages with type\$1 with parameter\$1 with server\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:43
S50	0	messages with type\$1 with parameter\$1 with forward\$3 with server\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:44
S51	6	messages with type\$1 with parameter\$1 same forward\$3 with server\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 19:01

## EAST Search History

S52	0	("20020126135").PN.	USPAT; USOCR	OR	OFF	2006/03/13 19:01
S53	1	("20020126135").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/13 19:09
S54	1	("20040133669").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 11:14
S55	0	("DNSandrecover\$3andfail\$3and@a d<="20010201").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 11:14
S56	1296	DNS and recover\$3 and fail\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 11:15
S57	19	DNS with recover\$3 and fail\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 11:16
S58	1	DNS with server with recover\$3 and fail\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:15
S59	1	DNS with server same recover\$3 with table and fail\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:31
S60	93	recover\$3 with rout\$4 with table and fail\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:32
S61	20	recover\$3 with rout\$4 with table and fail\$3 with over and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:32

## EAST Search History

S62	0	proxy with recover\$3 with rout\$4 with table and fail\$3 with over and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:32
S63	1	router with recover\$3 with rout\$4 with table and fail\$3 with over and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:46
S64	10	router with recover\$3 same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:46
S65	2	router with recover\$3 same fail\$3 with detect\$3 with period and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:49
S66	10	router with recover\$3 same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:49
S67	0	router with recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:49
S68	10	router with recover\$3 same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:51
S69	35	recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:58



## EAST Search History

S70	0	proxy with recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:58
S71	0	proxy with recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:59
S72	0	proxy same recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:59
S73	0	DNS near1 server same recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:59
S74	2	server same recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:00
S75	35	recover\$3 with table same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:01
S76	6	recover\$3 near2 table same fail\$3 with detect\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:54
S77	0	Abjamic.in. and transaction with types and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:55

## EAST Search History

S78	10408	transaction with types and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:55
S79	309	transaction with types with parameter\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:55
S80	4	transaction with types with message near1 parameter\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:58
S81	46	transaction with types with router\$3 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:58
S82	1	transaction with types with router\$3 same parameter\$1 and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:19
S83	21026	(fail\$3 with period\$3) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:25
S84	1013	(fail\$3 with response\$3 with period\$3) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:25
S85	247	detect\$3 with (fail\$3 with response\$3 with period\$3) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:25

## EAST Search History

S86	9	"709"/.ccls. and detect\$3 with (fail\$3 with response\$3 with period\$3) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:25
S87	9	"709"/\$.ccls. and detect\$3 with (fail\$3 with response\$3 with period\$3) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:01
S88	0	"709"/\$.ccls. and failover\$3 with (fail\$3 with response\$3 with period\$3) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:30
S89	1	"709"/\$.ccls. and failover\$3 same (fail\$3 with response\$3 with period\$3) and @ad<="20010201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:30
S90	0	("20020073211").PN.	USPAT; USOCR	OR	OFF	2006/03/14 15:01
S91	1	("20020073211").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 15:11
S92	1	("6138159").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 15:24
S93	1	("20020073211").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 15:26
S94	1	("6,728,748").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 15:36
S95	1	("6,327,622").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/14 15:36
S96	1	failover with rules and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:38

## EAST Search History

S97	15	failover with polic\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:39
S98	9	failover near3 polic\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:46
S99	15	failover near4 polic\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:47
S10 0	1	failover near1 rule\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:47
S10 1	1	failover with rule\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:47
S10 2	38	fail with over with polic\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:01
S10 3	1	("6,108,701").PN.	USPAT; USOCR	OR	OFF	2006/03/14 17:02
S10 4	4587	transaction with id\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:03
S10 5	532	transaction with id\$4 with type\$1 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:03

## EAST Search History

S10 6	11	transaction with id\$4 with type\$1 with parameter\$1 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:04
S10 7	11	transaction\$1 with id\$4 with type\$1 with parameter\$1 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:08
S10 8	1	("6,728,748").PN.	USPAT; USOCR	OR	OFF	2006/03/14 17:09
S10 9	0	load with balancing same transation with id\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:10
S11 0	1	load with balancing and transation\$1 with id\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:11
S11 1	0	transation\$1 with identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:12
S11 2	5592	transaction\$1 with identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:12
S11 3	10	load with balanc\$3 with transaction\$1 with identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:13
S11 4	26055	fail with over transaction\$1 with identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:13

## EAST Search History

S11 5	0	fail with over with transaction\$1 with identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:13
S11 6	1	fail with over same transaction\$1 with identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:15
S11 7	23	fail with over and table with transaction\$1 with identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:15
S11 8	12	fail with over and table with transaction\$1 near2 identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:17
S11 9	172	table with transaction\$1 near1 identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:17
S12 0	0	(load with balanc\$3) and (table\$1 with transaction\$1) near1 identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:18
S12 1	3	(fail with over) and (table\$1 with transaction\$1) near1 identifi\$4 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:18
S12 2	11	(fail with over) and (table\$1 with transaction\$1 near1 identifi\$4) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:23

## EAST Search History

S12 3	0	(fail with over) same(table\$1 with transaction\$1 near1 identifi\$4) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:20
S12 4	8	(load with balanc\$3) and (table\$1 with transaction\$1 near1 identifi\$4) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:27
S12 5	68	(load with balanc\$3) and (table\$1 with connection\$1 near1 identifi\$4) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:27
S12 6	18	(load with balanc\$3) and (table\$1 with connection\$1 near1 identifi\$4) and @ad<="20010102" and recover\$3 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 19:10
S12 7	1	("6728748").PN.	USPAT; USOCR	OR	OFF	2006/03/15 08:41
S12 8	1	("6138159").PN.	USPAT; USOCR	OR	OFF	2006/03/15 09:14
S12 9	0	(2002/0087912).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/15 09:14
S13 0	1	("20020087912").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/15 10:58
S13 1	3	classif\$4 with bussiness withh transaction\$4 with @ad<="20010102"	USPAT	OR	OFF	2006/03/15 11:16
S13 2	91	classif\$4 with bussiness withh transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:16
S13 3	87	fail with over same classif\$4 with bussiness withh transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:17

## EAST Search History

S13 4	87	"705"/\$.ccls. and fail with over same classif\$4 with bussiness with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:19
S13 5	87	"709"/\$.ccls.and fail with over same classif\$4 with bussiness with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:19
S13 6	87	"709"/\$.ccls.and fail with over same classif\$4 with bussiness with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:20
S13 7	0	"709"/\$.ccls.and fail with over same classif\$4 with bussiness with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:20
S13 8	0	"709"/\$.ccls.and fail with over and classif\$4 with bussiness with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:20
S13 9	0	"705"/\$.ccls.and fail with over and classif\$4 with bussiness with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:20
S14 0	0	fail with over and classif\$4 with bussiness with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:21
S14 1	0	failover and classif\$4 with bussiness with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:21



## EAST Search History

S14 2	0	classif\$4 with bussiness with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:21
S14 3	311894	classif\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:21
S14 4	0	classif\$4 with transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:21
S14 5	0	classif\$4 same transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:22
S14 6	0	transaction\$4 with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:23
S14 7	0	transaction with @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:23
S14 8	0	transaction with @ad<="20050102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:23
S14 9	224233	transaction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:23

## EAST Search History

S15 0	125081	transaction and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:23
S15 1	3828097	classif\$4 and identify transaction types and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:25
S15 2	3643285	classif\$4 and identify with transaction types and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 11:25
S15 3	47	classif\$4 and identify with transaction with types and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:14
S15 4	1	("6138159").PN.	USPAT; USOCR	OR	OFF	2006/03/15 13:14
S15 5	1	("6292905").PN.	USPAT; USOCR	OR	OFF	2006/03/15 13:15
S15 6	1	("20020087912").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/15 13:16
S15 7	0	("10020073211").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/15 13:16
S15 8	0	("10020073211").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/15 13:16
S15 9	1	("20020073211").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/15 13:24
S16 0	14	bill with charg\$3 with connections with time\$1 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:33

## EAST Search History

S16 1	4	bill with charg\$3 with connections near2 time\$1 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:04
S16 2	2	cookie\$1 with insert\$3 with database and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:18
S16 3	1	("6,108,701").PN.	USPAT; USOCR	OR	OFF	2006/03/15 14:19
S16 4	1	("6,292,905").PN.	USPAT; USOCR	OR	OFF	2006/03/15 14:20
S16 5	1	("6,138,159").PN.	USPAT; USOCR	OR	OFF	2006/03/15 14:20
S16 6	298	fail with over and secur\$4 with connection and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:21
S16 7	63	fail with over and secur\$4 near1 connection and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:21
S16 8	7	fail with over and secur\$4 near1 connection and shopp\$5 with cart\$1 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:44
S16 9	1	fail with over same shopp\$5 with cart\$1 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:45
S17 0	32	fail with over and shopp\$5 with cart\$1 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:45